








St Mary's C.E. Primary School

Calculation Policy










This policy has been adapted from the White Rose Maths Hub Calculation Policy with further material added. It is a working document and will be revised and amended as necessary.












Y1 ADDITION +

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Combining two parts to make a whole: part-whole model</p>	 <p>Use part part whole model.</p> <p>Use cubes to add two numbers together as a group or in a bar.</p>	 <p>Use pictures to add two numbers together as a group or in a bar.</p>	<p>$4 + 3 = 7$</p>  <p>$10 = 6 + 4$</p> <p>Use the part-part whole diagram as shown above to move into the abstract.</p>
<p>Starting at the bigger number and counting on</p>	 <p>Start with the larger number on the bead string and then count on to the smaller number 1 by 1 to find the answer.</p>	<p>$12 + 5 = 17$</p>  <p>Start at the larger number on the number line and count on in ones or in one jump to find the answer.</p>	<p>$5 + 12 = 17$</p> <p>Place the larger number in your head and count on the smaller number to find your answer.</p>
<p>Regrouping to make 10.</p> <p><i>This is an essential skill for column addition later.</i></p>	 <p>$6 + 5 = 11$</p> <p>Start with the bigger number and use the smaller number to make 10.</p> <p>Use ten frames.</p>	<p>Use pictures or a number line. Regroup or partition the smaller number using the part part whole model to make 10.</p> 	<p>$7 + 4 = 11$</p> <p>If I am at seven, how many more do I need to make 10. How many more do I add on now?</p>
<p>Represent & use number bonds and related subtraction facts within 20</p>	 <p>2 more than 5.</p>	 <p>Draw 2 more hats</p> <p>$5 + 2 =$</p>	<p>Emphasis should be on the language</p> <p>'1 more than 5 is equal to 6.'</p> <p>'2 more than 5 is 7.'</p> <p>'8 is 3 more than 5.'</p>





Y2 ADDITION +

Objective & Strategy	Concrete	Pictorial	Abstract
Adding multiples of ten	$50 = 30 + 20$  Model using dienes and bead strings	 $3 \text{ tens} + 5 \text{ tens} = \text{---} \text{ tens}$ $30 + 50 = \text{---}$ Use representations for base ten.	$20 + 30 = 50$ $70 = 50 + 20$ $40 + \square = 60$
Use known number facts Part part whole	 Children explore ways of making numbers within 20	 $\square + \square = 20$ $20 - \square = \square$ $\square + \square = 20$ $20 - \square = \square$	$\square + 1 = 16$ $16 - 1 = \square$ $1 + \square = 16$ $16 - \square = 1$
Using known facts	$\square\square + \square\square = \square\square\square\square$ 	   Children draw representations of H,T and O	$3 + 4 = 7$ <i>leads to</i> $30 + 40 = 70$ <i>leads to</i> $300 + 400 = 700$
Bar model	 $3 + 4 = 7$	 $7 + 3 = 10$	 $23 + 25 = 48$




Y2 ADDITION +

Objective & Strategy	Concrete	Pictorial	Abstract
Add a two digit number and ones	 <p> $17 + 5 = 22$ Use ten frame to make 'magic ten' </p> <p>Children explore the pattern.</p> <p> $17 + 5 = 22$ $27 + 5 = 32$ </p>	<p>Use part part whole and number line to model.</p>  <p> $17 + 5 = 22$ </p>	<p> $17 + 5 = 22$ </p> <p>Explore related facts</p> <p> $17 + 5 = 22$ $5 + 17 = 22$ $22 - 17 = 5$ $22 - 5 = 17$ </p> 
Add a 2 digit number and tens	 <p> $25 + 10 = 35$ </p> <p>Explore that the ones digit does not change</p>	 <p> $27 + 30 = 57$ </p>	<p> $27 + 10 = 37$ $27 + 20 = 47$ $27 + \square = 57$ </p>
Add two 2-digit numbers	 <p>Model using dienes, place value counters and numicon</p>	 <p>Use number line and bridge ten using part whole if necessary.</p>	 <p> $25 + 47 = 72$ </p> <p> $20 + 40 = 60$ $5 + 7 = 12$ $60 + 12 = 72$ </p>
Add three 1-digit numbers	 <p>Combine to make 10 first if possible, or bridge 10 then add third digit</p>	 <p>Regroup and draw representation.</p> <p> $4 + 7 + 6 = 17$ </p>	 <p>Combine the two numbers that make/ bridge ten then add on the third.</p>







Y3 ADDITION +

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Column Addition—no regrouping (friendly numbers)</p> <p>Add two or three 2 or 3-digit numbers.</p>	 <p>Model using Dienes or Numicon</p> <p>Add together the ones first, then the tens.</p>	<p>Children move to drawing the counters using a tens and one frame.</p> 	$\begin{array}{r} 223 \\ + 114 \\ \hline 337 \end{array}$ <p>Add the ones first, then the tens, then the hundreds.</p>
<p>Column Addition with regrouping.</p>	 <p>Exchange ten ones for a ten. Model using Numicon and pv counters.</p>	 <p>Children can draw a representation of the grid to further support their understanding, carrying the ten <u>underneath</u> the line</p>	$\begin{array}{r} 20 + 5 \\ 40 + 8 \\ \hline 60 + 13 = 73 \end{array}$ <p>Start by partitioning the numbers before formal column to show the exchange.</p> $\begin{array}{r} 536 \\ + 85 \\ \hline 621 \\ 11 \end{array}$







Y4-6 2-AY ADDITION +

Objective & Strategy	Concrete	Pictorial	Abstract																																																																																														
<p>Y4—add numbers with up to 4 digits</p>	<p>Children continue to use dienes or pv counters to add, exchanging ten ones for a ten and ten tens for a hundred and ten hundreds for a thousand.</p> <table border="1" data-bbox="394 368 878 576"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Hundreds	Tens	Ones							 <p>Draw representations using pv grid.</p>	 <p>Continue from previous work to carry hundreds as well as tens.</p> <p>Relate to money and measures.</p>																																																																																					
Hundreds	Tens	Ones																																																																																															
<p>Y5—add numbers with more than 4 digits.</p> <p>Add decimals with 2 decimal places, including money.</p>	<p>As year 4</p> <table border="1" data-bbox="405 735 878 922"> <thead> <tr> <th>tens</th> <th>ones</th> <th>tenths</th> <th>hundredths</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>Introduce decimal place value counters and model exchange for addition.</p>	tens	ones	tenths	hundredths					<p>$2.37 + 81.79$</p> 	<p>72.8</p> <p>$+ 54.6$</p> <p><u>127.4</u></p> <p>11</p> <table border="1" data-bbox="1626 815 1895 967"> <tbody> <tr> <td>£</td> <td>23</td> <td>·</td> <td>59</td> </tr> <tr> <td>+</td> <td>£</td> <td>7</td> <td>·</td> <td>55</td> </tr> <tr> <td colspan="4"><hr/></td> </tr> <tr> <td>£</td> <td>31</td> <td>·</td> <td>14</td> </tr> </tbody> </table>	£	23	·	59	+	£	7	·	55	<hr/>				£	31	·	14																																																																					
tens	ones	tenths	hundredths																																																																																														
£	23	·	59																																																																																														
+	£	7	·	55																																																																																													
<hr/>																																																																																																	
£	31	·	14																																																																																														
<p>Y6—add several numbers of increasing complexity</p> <p>Including adding money, measure and decimals with different numbers of decimal points.</p>	<p>As Y5</p>	<p>As Y5</p>	<table border="1" data-bbox="1462 1042 1709 1249"> <tbody> <tr><td>8</td><td>1</td><td>0</td><td>5</td><td>9</td></tr> <tr><td></td><td></td><td>3</td><td>6</td><td>8</td></tr> <tr><td></td><td></td><td>1</td><td>5</td><td>3</td></tr> <tr><td>+</td><td></td><td>2</td><td>0</td><td>5</td></tr> <tr><td colspan="5"><hr/></td></tr> <tr><td>1</td><td>2</td><td>0</td><td>5</td><td>7</td></tr> <tr><td></td><td></td><td>1</td><td>1</td><td>1</td></tr> </tbody> </table> <p>Insert zeros for place holders.</p> <table border="1" data-bbox="1671 1278 1921 1473"> <tbody> <tr><td>2</td><td>3</td><td>·</td><td>3</td><td>6</td><td>1</td></tr> <tr><td></td><td></td><td></td><td>9</td><td>·</td><td>0</td><td>8</td><td>0</td></tr> <tr><td></td><td></td><td></td><td>5</td><td>9</td><td>·</td><td>7</td><td>7</td><td>0</td></tr> <tr><td>+</td><td></td><td></td><td>1</td><td>·</td><td>3</td><td>0</td><td>0</td><td></td></tr> <tr><td colspan="9"><hr/></td></tr> <tr><td></td><td>9</td><td>3</td><td>·</td><td>5</td><td>1</td><td>1</td><td>1</td><td></td></tr> <tr><td></td><td>2</td><td></td><td></td><td>1</td><td></td><td>2</td><td></td><td></td></tr> </tbody> </table>	8	1	0	5	9			3	6	8			1	5	3	+		2	0	5	<hr/>					1	2	0	5	7			1	1	1	2	3	·	3	6	1				9	·	0	8	0				5	9	·	7	7	0	+			1	·	3	0	0		<hr/>										9	3	·	5	1	1	1			2			1		2		
8	1	0	5	9																																																																																													
		3	6	8																																																																																													
		1	5	3																																																																																													
+		2	0	5																																																																																													
<hr/>																																																																																																	
1	2	0	5	7																																																																																													
		1	1	1																																																																																													
2	3	·	3	6	1																																																																																												
			9	·	0	8	0																																																																																										
			5	9	·	7	7	0																																																																																									
+			1	·	3	0	0																																																																																										
<hr/>																																																																																																	
	9	3	·	5	1	1	1																																																																																										
	2			1		2																																																																																											







Y1 SUBTRACTION








Objective & Strategy	Concrete	Pictorial	Abstract
Taking away ones.	<p>Use physical objects, counters, cubes etc to show how objects can be taken away.</p>  <p>$6 - 4 = 2$</p> <p>$4 - 2 = 2$</p>	 <p>$15 - 3 = 12$</p> <p>Cross out drawn objects to show what has been taken away.</p>	<p>$7 - 4 = 3$</p> <p>$16 - 9 = 7$</p>
Counting back	 <p>Move objects away from the group, counting backwards.</p> <p>Move the beads along the bead string as you count backwards.</p>	 <p>Count back in ones using a number line.</p>	<p>Put 13 in your head, count back 4. What number are you at?</p>
Find the Difference	<p>Compare objects and amounts</p>  <p>'Seven is 3 more than four'</p> <p>'I am 2 years older than my sister'</p> <p>Lay objects to represent bar model.</p>	<p>Count on using a number line to find the difference.</p> 	<p>Hannah has 12 sweets and her sister has 5. How many more does Hannah have than her sister.?</p>

Y1 SUBTRACTION







Objective & Strategy	Concrete	Pictorial	Abstract
<p>Represent and use number bonds and related subtraction facts within 20</p> <p>Part Part Whole model</p>	 <p>Link to addition. Use PPW model to model the inverse.</p> <p>If 10 is the whole and 6 is one of the parts, what is the other part?</p> $10 - 6 = 4$	 <p>Use pictorial representations to show the part.</p>	<p>Move to using numbers within the part whole model.</p> 
<p>Make 10</p>	<p>14—9</p>  <p>Make 14 on the ten frame. Take 4 away to make ten, then take one more away so that you have taken 5.</p>	<p>13—7</p>  <p>Jump back 3 first, then another 4. Use ten as the stopping point.</p>	<p>16—8</p> <p>How many do we take off first to get to 10? How many left to take off?</p>
<p>Bar model</p>	 $5 - 2 = 3$		 $10 = 8 + 2$ $10 = 2 + 8$ $10 - 2 = 8$ $10 - 8 = 2$

Y2 SUBTRACTION -

Objective & Strategy	Concrete	Pictorial	Abstract
Regroup a ten into ten ones	 <p>Use a PV chart to show how to change a ten into ten ones, use the term 'take and make'</p>	 $20 - 4 = 16$	$20 - 4 = 16$
Partitioning to subtract without regrouping. <i>'Friendly numbers'</i>	$34 - 13 = 21$  <p>Use Dienes to show how to partition the number when subtracting without regrouping.</p>	Children draw representations of Dienes and cross off.  $43 - 21 = 22$	$43 - 21 = 22$
Make ten strategy <i>Progression should be crossing one ten, crossing more than one ten, crossing the hundreds.</i>	 $34 - 28$ <p>Use a bead bar or bead strings to model counting to next ten and the rest.</p>	 <p>Use a number line to count on to next ten and then the rest.</p>	$93 - 76 = 17$







Objective & Strategy	Concrete	Pictorial	Abstract
Column subtraction without regrouping (friendly numbers)	 <p>47—32</p> <p>Use base 10 or Numicon to model</p>	 <p>Calculations</p> $\begin{array}{r} 47 \\ - 32 \\ \hline 15 \end{array}$ <p>Draw representations to support understanding</p>	 <p>Subtract ones column then tens with no exchange.</p>
Column subtraction with regrouping	 <p>Begin with base 10 or Numicon. Move to pv counters, modelling the exchange of a ten into ten ones. Use the phrase 'take and make' for exchange.</p>	 <p>Children may draw base ten or PV counters and cross off.</p>	 <p>Begin by partitioning into pv columns</p>  <p>Then move to formal method.</p>

Y3 SUBTRACTION -





Objective & Strategy	Concrete	Pictorial	Abstract
<p>Subtracting tens and ones</p> <p>Year 4 subtract with up to 4 digits.</p> <p><i>Introduce decimal subtraction through context of money</i></p>	<p style="text-align: center;">$234 - 179$</p>  <p style="text-align: center;">Model process of exchange using base ten and then move to PV counters.</p>	<p>Children to draw pv counters and show their exchange—see Y3</p>	 <p>Use the phrase 'take and make' for exchange</p>
<p>Year 5— Subtract with at least 4 digits, including money and measures.</p> <p><i>Subtract with decimal values, including mixtures of integers and decimals and aligning the decimal</i></p>	<p>As Year 4</p>	<p>Children to draw pv counters and show their exchange—see Y3</p>	 <p>Use zeros for place-holders.</p> 
<p>Year 6—Subtract with increasingly large and more complex numbers and decimal values.</p>			 

Y4-6





SUBTRACTION -

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Doubling</p>	<p>Use practical activities using manipulatives including cubes and Numicon to demonstrate doubling</p>  <p>double 4 is 8 $4 \times 2 = 8$</p>	<p>Draw pictures to show how to double numbers</p> <p>Double 4 is 8</p> 	<p>Partition a number and then double each part before recombining it back together.</p>  <p>16 10 6 $\downarrow \times 2$ $\downarrow \times 2$ $20 + 12 = 32$</p>
<p>Counting in multiples</p>	<p>Count the groups as children are skip counting, children may use their fingers as they are skip counting.</p> 	 <p>Children make representations to show counting in multiples.</p> 	<p>Count in multiples of a number aloud.</p> <p>Write sequences with multiples of numbers.</p> <p>2, 4, 6, 8, 10</p> <p>5, 10, 15, 20, 25, 30</p>
<p>Making equal groups and counting the total</p>	 <p>$\square \times \square = 8$</p> <p>Use manipulatives to create equal groups.</p>	<p>Draw  to show $2 \times 3 = 6$</p> <p>Draw and make representations</p>	<p>$2 \times 4 = 8$</p>





Y1 MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract
Repeated addition	 <p>Use different objects to add equal groups</p>	<p>Use pictorial including number lines to solve prob. There are 3 sweets in one bag. How many sweets are in 5 bags altogether?</p>  $3+3+3+3+3 = 15$	<p>Write addition sentences to describe objects and pictures.</p>  $2 + 2 + 2 + 2 + 2 = 10$
Understanding arrays	<p>Use objects laid out in arrays to find the answers to 2 lots 5, 3 lots of 2 etc.</p> 	<p>Draw representations of arrays to show understanding</p> 	$3 \times 2 = 6$ $2 \times 5 = 10$








Y2 MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Doubling</p>	<p>Model doubling using dienes and PV counters.</p>  <p>$40 + 12 = 52$</p>	<p>Draw pictures and representations to show how to double numbers</p>	<p>Partition a number and then double each part before recombining it back together.</p>  <p>$20 + 12 = 32$</p>
<p>Counting in multiples of 2, 3, 4, 5, 10 from 0 (repeated addition)</p>	<p>Count the groups as children are skip counting, children may use their fingers as they are skip counting. Use bar models.</p>  <p>$5 + 5 + 5 + 5 + 5 + 5 + 5 + 5 = 40$</p> <p>$5 + 5 + 5 + 5 + 5 + 5 + 5 + 5 = 40$</p>	<p>Number lines, counting sticks and bar models should be used to show representation of counting in multiples.</p>  <p>$4 \times 3 = \square$</p>	<p>Count in multiples of a number aloud.</p> <p>Write sequences with multiples of numbers.</p> <p>0, 2, 4, 6, 8, 10</p> <p>0, 3, 6, 9, 12, 15</p> <p>0, 5, 10, 15, 20, 25, 30</p> <p>$4 \times 3 = \square$</p>



Y2 MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Multiplication is commutative</p>	<p>Create arrays using counters and cubes and Numicon.</p>  <p>Pupils should understand that an array can represent different equations and that, as multiplication is commutative, the order of the multiplication does not affect the answer.</p> 	<p>Use representations of arrays to show different calculations and explore commutativity.</p> 	<p>$12 = 3 \times 4$</p> <p>$12 = 4 \times 3$</p> <p>Use an array to write multiplication sentences and reinforce repeated addition.</p>  <p>$5 + 5 + 5 = 15$</p> <p>$3 + 3 + 3 + 3 + 3 = 15$</p> <p>$5 \times 3 = 15$</p> <p>$3 \times 5 = 15$</p>
<p>Using the Inverse</p> <p><i>This should be taught alongside division, so pupils learn how they work alongside each other.</i></p>		 <p><input type="text"/> \times <input type="text"/> = <input type="text"/></p> <p><input type="text"/> \times <input type="text"/> = <input type="text"/></p> <p><input type="text"/> \div <input type="text"/> = <input type="text"/></p> <p><input type="text"/> \div <input type="text"/> = <input type="text"/></p>	<p>$2 \times 4 = 8$</p> <p>$4 \times 2 = 8$</p> <p>$8 \div 2 = 4$</p> <p>$8 \div 4 = 2$</p> <p>$8 = 2 \times 4$</p> <p>$8 = 4 \times 2$</p> <p>$2 = 8 \div 4$</p> <p>$4 = 8 \div 2$</p> <p>Show all 8 related fact family sentences.</p>

Y3 MULTIPLICATION X

Objective & Strategy	Concrete	Pictorial	Abstract															
<p>Grid method</p>	<p>Show the links with arrays to first introduce the grid method.</p>  <p>4 rows of 10 4 rows of 3</p> <p>Move onto base ten to move towards a more compact method.</p>  <p>4 rows of 13</p> <p>Move on to place value counters to show how we are finding groups of a number. We are multiplying by 4 so we need 4 rows</p>  <p>Calculations 4×126</p> <p>Fill each row with 126</p>  <p>Calculations 4×126</p> <p>Add up each column, starting with the ones making any exchanges needed</p>  <p>Then you have your answer.</p>	<p>Children can represent their work with place value counters in a way that they understand.</p> <p>They can draw the counters using colours to show different amounts or just use the circles in the different columns to show their thinking as shown below.</p>  <p>Bar model are used to explore missing numbers</p>  <p>$4 \times \square = 20$</p>	<p>Start with multiplying by one digit numbers and showing the clear addition alongside the grid.</p> <table border="1" data-bbox="1545 367 1881 462"> <tr> <td>x</td> <td>30</td> <td>5</td> </tr> <tr> <td>7</td> <td>210</td> <td>35</td> </tr> </table> <p>$210 + 35 = 245$</p> <p>Moving forward, multiply by a 2 digit number showing the different rows within the grid method.</p> <table border="1" data-bbox="1556 774 1870 981"> <tr> <td></td> <td>10</td> <td>8</td> </tr> <tr> <td>10</td> <td>100</td> <td>80</td> </tr> <tr> <td>3</td> <td>30</td> <td>24</td> </tr> </table>	x	30	5	7	210	35		10	8	10	100	80	3	30	24
x	30	5																
7	210	35																
	10	8																
10	100	80																
3	30	24																

Y4 MULTIPLICATION X


Objective & Strategy	Concrete	Pictorial	Abstract																																																											
<p>Grid method recap from year 3 for 2 digits x 1 digit</p> <p>Move to multiplying 3 digit numbers by 1 digit. (year 4 expectation)</p>		<p>Children can represent their work with place value counters in a way that they understand.</p> <p>They can draw the counters using colours to show different amounts or just use the circles in the different columns to show their thinking as shown below.</p> 	<p>Start with multiplying by one digit numbers and showing the clear addition alongside the grid.</p> <table border="1" data-bbox="1550 370 1886 466"> <tr> <td>x</td> <td>30</td> <td>5</td> </tr> <tr> <td>7</td> <td>210</td> <td>35</td> </tr> </table> <p>$210 + 35 = 245$</p>	x	30	5	7	210	35																																																					
x	30	5																																																												
7	210	35																																																												
<p>Column multiplication</p>	<p>Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping. $321 \times 2 = 642$</p> <table border="1" data-bbox="392 1018 728 1423"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>It is important at this stage that they always multiply the ones first.</p> <p>The corresponding long multiplication is modelled alongside</p>	Hundreds	Tens	Ones													<table border="1" data-bbox="1012 896 1361 986"> <tr> <td>x</td> <td>300</td> <td>20</td> <td>7</td> </tr> <tr> <td>4</td> <td>1200</td> <td>80</td> <td>28</td> </tr> </table> <p>The grid method may be used to show how this relates to a formal written method.</p>  <p>Bar modelling and number lines can support learners when solving problems with multiplication alongside the formal written methods.</p>	x	300	20	7	4	1200	80	28	<table data-bbox="1617 874 1809 1257"> <tr> <td></td> <td>327</td> </tr> <tr> <td>x</td> <td>4</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td></td> <td>28</td> </tr> <tr> <td></td> <td>80</td> </tr> <tr> <td></td> <td>1200</td> </tr> <tr> <td></td> <td><hr/></td> </tr> <tr> <td></td> <td>1308</td> </tr> </table> <p>This may lead to a compact method.</p> <table border="1" data-bbox="1496 1295 1742 1487"> <tr> <td></td> <td>3</td> <td>2</td> <td>7</td> </tr> <tr> <td>x</td> <td></td> <td></td> <td>4</td> </tr> <tr> <td colspan="4"><hr/></td> </tr> <tr> <td></td> <td>1</td> <td>3</td> <td>0</td> </tr> <tr> <td></td> <td></td> <td>1</td> <td>2</td> </tr> </table>		327	x	4	<hr/>			28		80		1200		<hr/>		1308		3	2	7	x			4	<hr/>					1	3	0			1	2
Hundreds	Tens	Ones																																																												
x	300	20	7																																																											
4	1200	80	28																																																											
	327																																																													
x	4																																																													
<hr/>																																																														
	28																																																													
	80																																																													
	1200																																																													
	<hr/>																																																													
	1308																																																													
	3	2	7																																																											
x			4																																																											
<hr/>																																																														
	1	3	0																																																											
		1	2																																																											

Y5-6 MULTIPLICATION







Objective & Strategy	Concrete	Pictorial	Abstract																																																	
<p>Column Multiplication for 3 and 4 digits x 1 digit.</p>	<div data-bbox="398 229 741 639"> <table border="1"> <thead> <tr> <th>Hundreds</th> <th>Tens</th> <th>Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> </div> <p data-bbox="763 284 869 608">It is important at this stage that they always multiply the ones first.</p> <p data-bbox="383 663 857 794">Children can continue to be supported by place value counters at the stage of multiplication. This initially done where there is no regrouping. $321 \times 2 = 642$</p>	Hundreds	Tens	Ones													<div data-bbox="1014 240 1364 328"> <table border="1"> <tr> <td>x</td> <td>300</td> <td>20</td> <td>7</td> </tr> <tr> <td>4</td> <td>1200</td> <td>80</td> <td>28</td> </tr> </table> </div> 	x	300	20	7	4	1200	80	28	<div data-bbox="1599 236 1785 639"> $\begin{array}{r} 327 \\ \times 4 \\ \hline 28 \\ 80 \\ 1200 \\ \hline 1308 \end{array}$ </div>  <div data-bbox="1480 659 1727 850"> <table border="1"> <tr><td></td><td>3</td><td>2</td><td>7</td></tr> <tr><td>x</td><td></td><td></td><td>4</td></tr> <tr><td></td><td>1</td><td>3</td><td>0</td></tr> <tr><td></td><td></td><td>1</td><td>2</td></tr> </table> </div> <p data-bbox="1778 715 1960 783">This will lead to a compact method.</p>		3	2	7	x			4		1	3	0			1	2										
Hundreds	Tens	Ones																																																		
x	300	20	7																																																	
4	1200	80	28																																																	
	3	2	7																																																	
x			4																																																	
	1	3	0																																																	
		1	2																																																	
<p>Column multiplication</p>	<p>Manipulatives may still be used with the corresponding long multiplication modelled alongside.</p>	<div data-bbox="947 922 1267 1137"> <table border="1"> <tr> <td></td> <td>10</td> <td>8</td> </tr> <tr> <td>10</td> <td>100</td> <td>80</td> </tr> <tr> <td>3</td> <td>30</td> <td>24</td> </tr> </table> </div>  <p data-bbox="902 1409 1420 1477">Continue to use bar modelling to support problem solving</p>		10	8	10	100	80	3	30	24	<div data-bbox="1473 900 1715 1174"> <table border="1"> <tr><td></td><td>1</td><td>8</td></tr> <tr><td>x</td><td>1</td><td>3</td></tr> <tr><td></td><td>5</td><td>4</td></tr> <tr><td></td><td>1</td><td>8</td></tr> <tr><td></td><td>2</td><td>3</td></tr> </table> </div> <p data-bbox="1744 887 1917 1369"> 18×3 on the first row $(8 \times 3 = 24, \text{ carrying the } 2 \text{ for } 20, \text{ then } 1 \times 3)$ 18×10 on the 2nd row. Show multiplying by 10 by putting zero in units first </p> <div data-bbox="1480 1235 1794 1465"> <table border="1"> <tr><td></td><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>x</td><td></td><td></td><td>1</td><td>6</td></tr> <tr><td></td><td>7</td><td>4</td><td>0</td><td>4</td></tr> <tr><td></td><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td></td><td>1</td><td>9</td><td>7</td><td>4</td></tr> </table> <p data-bbox="1675 1342 1787 1369">(1234×6)</p> <p data-bbox="1675 1385 1794 1412">(1234×10)</p> </div>		1	8	x	1	3		5	4		1	8		2	3		1	2	3	4	x			1	6		7	4	0	4		1	2	3	4		1	9	7	4
	10	8																																																		
10	100	80																																																		
3	30	24																																																		
	1	8																																																		
x	1	3																																																		
	5	4																																																		
	1	8																																																		
	2	3																																																		
	1	2	3	4																																																
x			1	6																																																
	7	4	0	4																																																
	1	2	3	4																																																
	1	9	7	4																																																






Objective & Strategy	Concrete	Pictorial	Abstract
<p>Multiplying decimals up to 2 decimal places by a single digit.</p>			<p>Remind children that the single digit belongs in the units column. Line up the decimal points in the question and the answer.</p> $ \begin{array}{r} 3.19 \\ \times 8 \\ \hline 25.52 \end{array} $






Y6
MULTIPLICATION X






Objective & Strategy	Concrete	Pictorial	Abstract
<p>Division as sharing</p> <p>Use Gordon ITPs for modelling</p>	 <p>I have 10 cubes, can you share them equally in 2 groups?</p>	<p>Children use pictures or shapes to share quantities.</p> 	<p>12 shared between 3 is 4</p>

Y2 DIVISION ÷

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Division as sharing</p>	 <p>I have 10 cubes, can you share them equally in 2 groups?</p>	<p>Children use pictures or shapes to share quantities.</p>  $8 \div 2 = 4$ <p>Children use bar modelling to show and support understanding.</p>  $12 \div 4 = 3$	$12 \div 3 = 4$
<p>Division as grouping</p>	<p>Divide quantities into equal groups.</p> <p>Use cubes, counters, objects or place value counters to aid understanding.</p>  	<p>Use number lines for grouping</p>  $12 \div 3 = 4$ <p>Think of the bar as a whole. Split it into the number of groups you are dividing by and work out how many would be within each group.</p>  $20 \div 5 = ?$ $5 \times ? = 20$	$28 \div 7 = 4$ <p>Divide 28 into 7 groups. How many are in each group?</p>

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Division as grouping</p>	<p>Use cubes, counters, objects or place value counters to aid understanding.</p>  <p>24 divided into groups of 6 = 4</p> $96 \div 3 = 32$ 	<p>Continue to use bar modelling to aid solving division problems.</p>  <p>20</p> $20 \div 5 = ?$ $5 \times ? = 20$	<p>How many groups of 6 in 24?</p> $24 \div 6 = 4$
<p>Division with arrays</p>	 <p>Link division to multiplication by creating an array and thinking about the number sentences that can be created.</p> <p>Eg $15 \div 3 = 5$ $5 \times 3 = 15$ $15 \div 5 = 3$ $3 \times 5 = 15$</p>	<p>Draw an array and use lines to split the array into groups to make multiplication and division sentences</p> 	<p>Find the inverse of multiplication and division sentences by creating eight linking number sentences.</p> $7 \times 4 = 28$ $4 \times 7 = 28$ $28 \div 7 = 4$ $28 \div 4 = 7$ $28 = 7 \times 4$ $28 = 4 \times 7$ $4 = 28 \div 7$ $7 = 28 \div 4$

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Division with remainders.</p>	<p>$14 \div 3 =$</p> <p>Divide objects between groups and see how much is left over</p> 	<p>Jump forward in equal jumps on a number line then see how many more you need to jump to find a remainder.</p>  <p>Draw dots and group them to divide an amount and clearly show a remainder.</p>  <p>Use bar models to show division with remainders.</p>  <p>Example without remainder: $40 \div 5$ Ask "How many 5s in 40?" $5 + 5 + 5 + 5 + 5 + 5 + 5 + 5 = 8 \text{ fives}$</p>  <p>Example with remainder: $38 \div 6$</p>  <p>For larger numbers, when it becomes inefficient to count in single multiples, bigger jumps can be recorded using known facts.</p>	<p>Complete written divisions and show the remainder using r.</p> $29 \div 8 = 3 \text{ REMAINDER } 5$ <p> $\uparrow \quad \uparrow \quad \uparrow \quad \uparrow$ dividend divisor quotient remainder </p>

Objective & Strategy	Concrete	Pictorial	Abstract
<p>Divide at least 3 digit numbers by 1 digit.</p> <p>Short Division</p>	<p>$96 \div 3$</p> <p>Tens Units</p> <p>3 2</p>  <p>Use place value counters to divide using the bus stop method alongside</p>  <p>Calculations $42 \div 3 =$</p> <p>Start with the biggest place value, we are sharing 40 into three groups. We can put 1 ten in each group and we have 1 ten left over.</p>  <p>We exchange this ten for ten ones and then share the ones equally among the groups.</p>  <p>We look how much in 1 group so the answer is 14.</p>	<p>Students can continue to use drawn diagrams with dots or circles to help them divide numbers into equal groups.</p>  <p>Encourage them to move towards counting in multiples to divide more efficiently.</p>	<p>Begin with divisions that divide equally with no remainder.</p> $\begin{array}{r} 218 \\ 3 \overline{) 654} \end{array}$ <p>Move onto divisions with a remainder.</p> $\begin{array}{r} 86 \text{ r } 2 \\ 5 \overline{) 432} \end{array}$ <p>Finally move into decimal places to divide the total accurately.</p> $\begin{array}{r} 14.6 \\ 35 \overline{) 511.0} \end{array}$ $\begin{array}{r} 0663 \text{ r } 5 \\ 8 \overline{) 53029} \end{array}$

Long Division

Step 1-a remainder in the ones

$$\begin{array}{r} \text{h t o} \\ \underline{041 \text{ R}1} \\ 4) 165 \end{array}$$

4 does not go into 1 (hundred). So combine the 1 hundred with the 6 tens (160).

4 goes into 16 four times.

4 goes into 5 once, leaving a remainder of 1.

$$\begin{array}{r} \text{th h t o} \\ \underline{0400 \text{ R}?) \\ 8) 3207 \end{array}$$

8 does not go into 3 of the thousands. So combine the 3 thousands with the 2 hundreds (3,200).

8 goes into 32 four times ($3,200 \div 8 = 400$)

8 goes into 0 zero times (tens).

8 goes into 7 zero times, and leaves a remainder of 7.

DIVISION



Long Division



Step 1 continued...

$$\begin{array}{r}
 \text{h t o} \\
 \underline{061} \\
 4 \) \ 247 \\
 \quad -4 \\
 \quad \quad 3
 \end{array}$$

When dividing tile ones, 4 goes into 7 one time. Multiply $1 \times 4 = 4$, write that four under the 7, and subtract. This finds us the remainder of 3.

Check: $4 \times 61 + 3 = 247$

$$\begin{array}{r}
 \text{th h t o} \\
 \underline{0402} \\
 4 \) \ 1609 \\
 \quad -8 \\
 \quad \quad 1
 \end{array}$$

When dividing tile ones, 4 goes into 9 two times. Multiply $2 \times 4 = 8$, write that eight under the 9, and subtract. This finds us the remainder of 1.

Check: $4 \times 402 + 1 = 1,609$

DIVISION ÷

Long Division

Y6

DIVISION ÷

Step 2-a remainder in the tens

1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
<p style="text-align: center;">t o</p> <p>Two goes into $2 \overline{) 58}$ nes, or 5 tens + 2 = 2 whole tens -- but there is a remainder!</p>	<p style="text-align: center;">t o</p> $\begin{array}{r} 2 \\ \underline{2) 58} \\ 4 \\ 1 \end{array}$ <p>To find it, multiply $2 \times 2 = 4$, write that 4 under the five, and subtract to find the remainder of 1 ten.</p>	<p style="text-align: center;">t o</p> $\begin{array}{r} 29 \\ \underline{2) 5} \\ :A_1 \\ 1 \end{array}$ <p>Next, drop down the 8 of the ones next to the leftover 1 ten. You combine the remainder ten with 8 ones, and get 18.</p>

1. Divide.	2. Multiply & subtract.	3. Drop down the next digit.
------------	-------------------------	------------------------------

St Mary's C.E. Primary School Calculation Policy

$$\begin{array}{r}
 \text{t o} \\
 \mathbf{29} \\
 \mathbf{) 58} \\
 \mathbf{-4} \\
 \mathbf{18}
 \end{array}$$

Divide 2 into 18. Place 9 into the quotient

$$\begin{array}{r}
 \text{t o} \\
 \mathbf{29} \\
 \mathbf{2) 58} \\
 \mathbf{-4} \\
 \mathbf{1} \\
 \mathbf{8} \\
 \mathbf{-18}
 \end{array}$$

Multiply $9 \times 2 = 18$, write that 18 under the 18, and subtract

$$\begin{array}{r}
 \text{t o} \\
 \mathbf{9} \\
 \mathbf{2) 58} \\
 \mathbf{-4} \\
 \mathbf{18} \\
 \mathbf{-18} \\
 \mathbf{0}
 \end{array}$$

The division is over since there are no more digits in the dividend. The quotient is 29.

Long Division

Step 2-a remainder in any of the place values

1. Divide.	2. Multiply & subtract	3. Drop down the next digit.
$\begin{array}{r} \text{h t o} \\ 2 \overline{) 278} \\ \underline{2} \\ 0 \end{array}$ <p>Two goes into 2 one time, or 2 hundreds. $2 = 1$ hundred.</p>	$\begin{array}{r} \text{h t o} \\ 1 \\ 2 \overline{) 278} \\ \underline{-2} \\ 0 \end{array}$ <p>Multiply $1 \times 2 = 2$, write that 2 under the two, and subtract to find the remainder of zero.</p>	$\begin{array}{r} \text{h t o} \\ 18 \\ 2 \overline{) 278} \\ \underline{-2} \\ 0 \end{array}$ <p>Next, drop down the 7 of the tens next to the zero.</p>
Divide.	Multiply & subtract.	Drop down the next digit.
$\begin{array}{r} \text{h t o} \\ 13 \\ 2 \overline{) 278} \\ \underline{2} \\ 07 \end{array}$ <p>Divide 2 into 7. Place 3 into the quotient.</p>	$\begin{array}{r} \text{h t o} \\ 13 \\ 2 \overline{) 278} \\ \underline{6} \\ 07 \\ \underline{6} \\ 01 \end{array}$ <p>Multiply $3 \times 2 = 6$, write that 6 under the 7, and subtract to find the</p>	$\begin{array}{r} \text{h t o} \\ 13 \\ 2 \overline{) 278} \\ \underline{-2} \\ 07 \\ \underline{6} \\ 18 \end{array}$ <p>Next, drop down the 8 of the ones next to the 1 leftover ten.</p>
1. Divide.	2. Multiply & subtract	3. Drop down the next digit.
$\begin{array}{r} \text{h t o} \\ 139 \\ 2 \overline{) 278} \\ \underline{-2} \\ 07 \\ \underline{6} \\ 18 \end{array}$ <p>Divide 2 into 18. Place 9 into the quotient.</p>	$\begin{array}{r} \text{h t o} \\ 139 \\ 2 \overline{) 278} \\ \underline{-2} \\ 07 \\ \underline{-6} \\ 01 \end{array}$ <p>Multiply $9 \times 2 = 18$, write that 18 under the 18, and subtract to find the remainder of zero.</p>	$\begin{array}{r} \text{h t o} \\ 139 \\ 2 \overline{) 278} \\ \underline{-2} \\ 07 \\ \underline{6} \\ 18 \\ \underline{-18} \\ 0 \end{array}$ <p>There are no more digits to drop down. The quotient is 139.</p>

DIVISION

